




Openshift.io: Portiamo l'IDE nel cloud

Giuseppe Bonocore

Solution Architect



RHOAR: OpenShift Application Runtimes








Openshift.io - Eclipse CHE tooling





Got a tip? Let us know.

News - Video - Events - Crunchbase



AdChoices D

DISRUPT SF TechCrunch's flagship event begins today - It's not too late to get tickets Get yours today >

Popular Posts

Red Hat to acquire Codenvy as part of its growing container strategy

Posted May 25, 2017 by Ron Miller (@ron_miller)



















AdChoices D

Crunchhase






What is needed to make a contribution?









What is needed to make a contribution?








Che Workspaces








Projects are mounted into the runtimes








Workspaces define commands











Workspaces provide their own browser IDE








Desktop IDEs can connect over SSH







Workspaces are hosted in Che's server







Plug-ins

Languages

Syntax highlighting, stacks, templates, and code assistants.

- Java
- C++
- JavaSript
- Python
- PHP
- Ruby
- SQL

Frameworks

Project types, scaffold tool integration, and syntax analysis.

- OpenShift
- Angular JS
- Docker
- Yeoman

Builders

Builders to manage unit tests, compilation, linking, and dependencies.

- Ant
- Bower
- Grunt
- Gulp
- Maven
- Npm

Tools

Extensions that integrate the IDE with other parts of the developer tool chain.

- Git
- Orion
- SSH
- Subversion








Developer Workspace





Project Badging

Spring petclinic with a branch for using MySQL — Edit







Openshift.io: Cloud Based IDE, SDLC and more...



OpenShift.io

Unified view across teams and projects













Create new Space








Multiple, guided ways to Get Started








Wizards, powered by Forge project








Advanced Openshift Pipelines








Integrated planner







Kanban Boards







Browser based IDE

```
Subversion
                                                                                                 dev-machine
                                                                                                                             Project Explorer
                                        HttpApplication ×

∨ Is trader-insights-service

                                                 public class HttpApplication extends AbstractVerticle (
  ∨ isrc
    ∨ I main
                                                   private static final String template = "Hello, %s!";
       > fabric8
      Y iava
                                                   public void start(Future(Void> future) {

∨ 

io.openshift.booster


              HttpApplication.java
                                                     Router router = Router.router(vertx):
       resources
    > test
                                                     router.get("/").handler(StaticHandler.create());
  > target
    [ ] Jenkinsfile
    LICENSE
                                                          .createHttpServer()
    README.md
                                                          .requestHandler(router::accept)
    pom.xml
  > iii External Libraries
                                                              config(),getInteger("http.port", 8080), ar -> {
                                                                   System.out.println("Server starter on port " + ar.result().actualPort());
Processes
                                              Terminal x
  dev-machine
                             [INFO] Observing path:/projects/trader-insights-service/src/main
                             [INFO] May 02, 2017 9:13:13 PM io.vertx.core.impl.launcher.commands.Watcher
                             [INFO] INFO: Watched paths: [/projects/trader-insights-service/target/classes]
                             [INFO] May 02, 2017 9:13:13 PM io.vertx.core.impl.launcher.commands.Watcher
                             [INFO] INFO: Starting the vert.x application in redeploy mode
                            [INFO] Starting vert.x application...
[INFO] 9407d15b-f9a0-41d0-a29e-7b3660687f67-redeploy
                             [INFO] SLF4J: Failed to load class "org.slf4j.impl.StaticLoggerBinder".
                             [INFO] SLF4J: Defaulting to no-operation (NOP) logger implementation
                             [INFO] SLF4J: See http://www.slf4j.org/codes.html#StaticloggerBinder for further details.
                            [INFO] May 02, 2017 9:13:14 PM io.netty.util.internal.MacAddressUtil defaultMachineId
                            [INFO] WARNING: Failed to find a usable hardware address from the network interfaces; using random bytes: e4:f5:c7:f1:13:0a:16:2d
                             [INFO] Server starter on port 8080
                             [INFO] May 02, 2017 9:13:14 PM io.vertx.core.impl.launcher.commands.VertxIsolatedDeployer
                             [INFO] INFO: Succeeded in deploying verticle

■ Events Processes
```






Fabric8 Analytics Suggestions







Insights and suggestions







QUESTIONS?







RED HAT OPEN SOURCE DAY

Europe, Middle East & Africa

