



#### **Developer Webinar Series 2020**

<u>developers.redhat.com/webinars/</u>





#### Knative

Kubernetes-based platform for modern event-driven serverless workloads - Webinar, May 11, 2020

Dr. Roland Huß @ro14nd Principal Software Engineer, Red Hat

Matthias Weßendorf @mwessendorf Principal Software Engineer, Red Hat



## Serverless

"Serverless computing refers to the concept of building and running applications that do not require server management. It describes a finer-grained deployment model where applications, bundled as one or more functions are uploaded to a platform and then **executed**, scaled, and billed in response to the exact demand needed at the moment"

-- CNCF Definition, <u>https://www.cncf.io/blog/2018/02/14/cncf-takes-first-step-towards-serverless-computing/</u>



Serverless

#### Wait... wat ?





## Knauke

# Kubernetes-based platform to **deploy** and **manage** modern **serverless workloads**.

https://knative.dev



Knative


#### Components


#### Serving

A request-driven model that serves the container with your application and can "scale to zero".

#### **Eventing**

Common infrastructure for consuming and producing events that will stimulate applications.







## **Background Information**

- Started as an **Open Source** Project mid-2018 by Google
- Community driven with a lot of vendor backing
  - <u>https://github.com/knative</u>
  - <u>https://knative.dev</u>
  - Support by Google, Red Hat, IBM, VMware, Triggermesh, SAP and more
  - Organized in multiple Working Groups with weekly meetings
- Releases
  - Current: **v0.14**
  - 6 week release cadence



8

#### Knative

9

## Try Knative !

- Install from resource descriptors on Kubernetes Cluster
  - o <u>https://knative.dev/docs/install/</u>
- Google **Cloud Run** (managed and on GKE)
  - o <u>https://cloud.google.com/run/</u>
  - Not all Knative features implemented
    - see <u>https://ahmet.im/blog/cloud-run-is-a-knative</u>?
- Red Hat **OpenShift Serverless** 
  - <u>https://www.openshift.com/learn/topics/serverless</u>
  - Supports all Knative features
  - Serving GA with full support, Eventing in Technical Preview



## Serving

## Route, scale-to-zero and track application revisions with ease.



#### **Knative Serving**


### Concepts

- **Demand-based autoscaling**, including scale-to-zero
- Separation of code and configuration
- Opinionated deployment model catered for **stateless applications** 
  - Single Port
  - $\circ$  No PersistentVolumes
  - Single Container (about to change)
- Rich **traffic split capabilities** to enable custom rollout strategies of new versions



#### Resources

- **Configuration** represent the *floating HEAD* of a history of **Revisions**
- **Revision** represents an immutable snapshot of code and configuration
- **Route** configure ingress over a collection of Revisions
- Service (not K8s services !) is a top-level entity that manage a set of Routes and Configurations



14

## From **Deployment** to **KService**

apiVersion: apps/v1 kind: Deployment metadata: name: random spec: replicas: 1 selector: matchLabels: app: random template: metadata: labels: app: random spec: containers: - image: rhuss/random name: random ports:

- containerPort: 8080

apiVersion: serving.knative.dev/v1alpha1 kind: Service metadata: name: random No more K8s Service or Ingress/Route required ! spec: replicas: 1 selector: matchLabels: app: random template: metadata: labels: app: random spec: containers: - image: rhuss/random name: random ports: - containerPort: 8080

**Red Hat** 

Knative Serving





15



## Universal subscription, delivery, and management of CloudEvents.



## Eventing

- Based on CloudEvents (CNCF Standard)
- Pluggable event transport via **Channels** 
  - In-Memory

18

- Apache Kafka
- Google Pub-Sub
- Flexible routing of events from Sources to Sinks
  - **Source**: Adapter for integrating 3rd party systems and emitting CloudEvents
  - **Sink**: Addressable endpoint for CloudEvents (like a Knative Service)





#### **Event Sources**

- Integrating 3rd party systems with Knative
- More often "**Adapter**" than an original event source
- Declared with a **Custom Resource**
- Evaluated by an Operator
- Push or Pull based
- Converting custom event formats to **CloudEvents**



#### Sources


Builtin Sources	
PingSource	Emitting static CloudEvents periodically
ApiServerSource	Kubernetes API Server events as CloudEvents
SinkBinding	Binds an arbitrary Pod specification to a Sink
ContainerSource	Meta-Source combining SinkBinding & Deployment

Contributed Sources	
GitHubSource	Converts GitHub webhooks events to CloudEvents
KafkaSource	Apache Kafka messages as CloudEvents
CamelKSource	Apache Camel components as sources



and many more: <a href="https://knative.dev/docs/eventing/sources/">https://knative.dev/docs/eventing/sources/</a>

### Source $\rightarrow$ Service : Direct Connection



- Simplest way to get CloudEvents to a service
- Drawbacks:
  - No queuing support when service is unavailable
  - No back pressure support
  - Only one Service can consume events
  - No filtering, Service gets always all events








22

23


### Source → Service : Channel & Subscription



- Multiple Services can consume the same event
- Subscription can point to a reply channel (not shown here)
- Various Channel Backends available
  - In-Memory, Kafka, GCP PubSub, (write your own)
- Drawbacks:
  - Channel Infrastructure needs to be set up manually
  - No filtering, Service gets always all events



## Source → Service: Broker & Trigger



#### Broker

- Eventing Mesh for distributing Events
- Addressed by sources as sink

#### Trigger

- Filter on CloudEvent attributes (e.g. type)
- Connects a Sink with Broker



24

#### Source → Service: Broker & Trigger

#### • Broker

- Eventing Mesh (or Event Delivery System)
- Connects Sources with Sinks
- Uses Channels internally, creating on the fly
  - Multi-tenant broker option (since 0.14)

#### • Trigger

- Filter events (e.g. type and/or source)
- Can produce new events (returned to Broker)
- Delivered as CloudEvents







26

### More Knative Eventing

#### • EventRegistry

- EventType CRD
- Discoverability of Events

#### • Sequence

- Chaining multiple Services
- Sinking to an "Addressable" (Service, Channel, Sequence, Broker ...)

#### • Parallel

- Branching of events with filters
- Allows to implement conditional processing



## Summary

## Summary

#### **Knative Serving**

- Simplified Deployment for stateless workloads
- Traffic based autoscaling including Scale-to-Zero
- Traffic splitting for custom rollout / rollback scenarios

#### **Knative Eventing**

- External Triggers for feeding Knative Services
- Based on CloudEvents
- Backed by proven messaging systems
- Flexible messaging setup








#### orelly<sup>®</sup> Knative Cookbook

Building Effective Serverless Applications with Kubernetes and OpenShift



http://dn.dev/knative-cookbook







### **Available Assets**

developers.redhat.com/webinars/knative-introduction/





#### June 16 | 16:00 CEST Hibernate in complex projects - Can we be a little faster?

developers.redhat.com/webinars/

## Thank you





## Picture Credits

https://www.pexels.com/photo/boat-island-ocean-sea-218999/ https://unsplash.com/photos/t6t2-gXKxXM https://unsplash.com/photos/UGMf30W28qc https://pixabay.com/photos/hamburg-speicherstadt-channel-2976711/ https://pixabay.com/photos/beer-machine-alcohol-brewery-1513436/ https://unsplash.com/photos/9SWHIgu8A8k https://me.me/i/aws-lambda-is-just-glorified-cgi-bin-imgflip-com-change-my -mind-d0b715592ba34b08b79452ad02783ca2 https://unsplash.com/photos/dodn\_0TESN0

